

**State Armory Board (SAB)
Quarterly Meeting: 14 April 2016**

0

**State Armory Board
Quarterly Meeting – Voting Members**

Brig. Gen. Carrelli	Acting AG	Chairperson
COL David Wood	28 th ID	Member
LTC Laura McHugh	213 th RSG	Member
LTC Chris McDevitt	CFMO	Member
COL Mike Konzman	NE PA	Member
LTC George Moebius	SE PA	Member
MAJ James Clancy	SW PA	Member
MAJ Linda Grey	Central PA	Member
WO1 Erik Roberts (deployed)	NW PA	Member

1

**State Armory Board
Quarterly Meeting – Advisory Members**

	DAG Army	Advisor
BG Timothy Hilty	Assistant Adjutant General	Advisor
COL Mark Schindler	Chief of Staff	Advisor
MAJ Chad Lubas	PA JAG	Advisor
COL Jim Cassarella	USPFO	Advisor
MAJ Mark Thomas	MSCA	Advisor
CSM Michael Gundrum	State CSM	Advisor
Mr. Mike Barrett	Chief Counsel	Advisor
Mr. Mark Austin	Deputy, OFE	Secretary

2

**State Armory Board
Mission Statement**

The mission of the SAB is to agree on long term financial commitments regarding Real Estate actions, either land or facilities, that impact the PA Army National Guard as described by Title 51, “ Military Affairs”, Pennsylvania Consolidated Statutes.


3

SAB Quarterly Meeting Agenda

1. Review of the Previous Minutes January, 2016 (Exh. A)
 - a) Motion and Approval of the Minutes
2. CFMO & TS ENGR Project Updates (slides)
3. New Business:
 - a) Disposal of Armories/Property not required per TAA / MTOE changes (East Stroudsburg RC, East Stroudsburg WET, West Pittston RC, Kane RC & Kane WET/MEP)
 - b) Review State Treasury Armory Fund distribution.
 - c) Review revisions to the Armory Rental SOP & Agreement.
 - d) Consider 5% increase to Armory Rental rates.

4

State Armory Board Update



14 April 2016

5

AGENDA

- MILCON
- FTIG SRM Projects
- PA (-) SRM Projects
- PA Air Guard Update
- Environmental Update
- Real Estate Update
- Planning and Programming Update
- Energy Update
- Comments

6

ARNG FTIG MILCON Projects

Project	Design Status	Const Status	Amt (\$M)	Remarks
Aircraft Maintenance Instructional Building	100%	65%	32	Negotiating wetland change proposal, installing hanger doors, HVAC duct work, insulation & drywall and resuming site work
Controlled Access Facility (SCIF)	100%	100%	1.9	Project Complete, accreditation in progress
Sanitary Sewer Replacement (Areas 12 & 13)	35%	0%	2.1	NPDES permit approved, finalizing design
Training Aids Center	99%	0%	15.5	Bid set received
Aircraft Fuel Truck Loading Facility	10%	0%	1.19	Waiting results of Geo-Tech samples
TUAS Add/Alt	0%	0%	1.95	Design contract awarded

Dollar amounts prior to construction contract award are
For Official Use Only

7

ARNG PA(-) MILCON Projects

Project	Design Status	Contract Status	Const Status	Amt (\$M)	Remarks
York RC	60%	0%	0%	11-15	MCCA signed; have all local approvals pending YCCD; 65% due 20 April
Pittsburgh CSMS	25%	0%	0%	20-23	Pushed right to FY '20 (budget constraints)
Ft Mifflin Conversion	15%	0%	0%	2	ARNG-ILI actively reviewing; targeting funding in June
Hermitage RC	95%	0%	0%	10-13	1390/91 updated; candidate for RCTMP FY '18
Danville FMS (vice Williamsport)	0%	0%	0%	11-14	Land purchased; 1390/91 updated
Tobyhanna AFRC	0%	0%	0%	15-18	TAD offered new site within post boundaries
FTIG ACP	15%	0%	0%	20	Competing as a Critical Unfunded Requirement (CUFR)

Dollar amounts prior to construction contract award are
For Official Use Only

8

ARNG FTIG SRM Projects (1 of 3)

Project	Design Status	Const Status	Amt (\$M)	Remarks
5-116 Interior Renovation	100%	5%	.38	Interior demolition, 5 rotations of National Guard Civil Engineer Squadrons to renovate 1 May thru 25 Jun 16
TUAS Runway, Hotel Road	100%	85%	0.1	Continue filling grade and fine grading on east side; project to continue on drill weekends as labor is available
Marquette Lake Dam Spillway Repairs	35%	0%	0.1	Modification to contract. Underwater inspection to occur the week of 16 May
TUAS K-Span	100%	50%	0.22	Will continue concrete and end walls as weather/manpower permits
Multi-Purpose Range Operations Building (POD Site)	100%	96	.68	Punch list items
AASF Fire Suppression System	100%	98%	1.4	Diesel engines waiting repair parts

Dollar amounts prior to construction contract award are
For Official Use Only

9

ARNG FTIG SRM Projects (2 of 3)

Project	Design Status	Const Status	Amt (\$M)	Remarks
0-47 Basement & VA Alteration	100%	0%	0.7	Being reviewed by DGS, should go out for Bid May or June, construction start July/August.
19-02 Addition/Alteration	95%	0%	1.6	Pending NPDES, expect it to follow 0-47 by a month for bidding and construction
Johnson Trail Box Culvert	100%	0%	.395	Road closure 4 Apr 16 to start construction
Range 11 EPR Enhancements	100%	2%	.872	Demo'd PA system & flood lights, bulk of work in Spring
Communication Node Buildings and IT Infrastructure Area 3, 4, 13	100%	95%	.155	Prefab buildings in place, BRM connecting power & HVAC
Range Road Repaving	100%	10%	1.35	Clearing & grubbing, drainage pipe install
CSMS Concrete Aprons	100%	15%	.393	Bulk of work to start Spring

Dollar amounts prior to construction contract award are

10

For Official Use Only

ARNG FTIG SRM Projects (3 of 3)

Project	Design Status	Const Status	Amt (\$M)	Remarks
Water Tower Rehabilitation	100%	80%	.698	Install altitude valves
USPFO Class IX Compound	100%	60%	.330	Electrical & concrete
Range Maintenance Canopy	100%	15%	.275	Steel erection
UTES Controlled Humidity 4 Canopies	100%	15%	1.8	Footers poured
Obstacle Course	100%	95%	.332	Punch list items
FTIG Landfill Cap	100%	67%	4	Work stop, restart Spring
FTIG Solar PV System Power Purchase	15%	0%	TBD	Proposals under evaluation with DGS

Dollar amounts prior to construction contract award are

11

For Official Use Only

ARNG PA (-) SRM Projects (1 of 4)

Project	Design Status	Contract Status	Const Status	Amt (\$M)	Remarks
Ft Mifflin-Renovation	100%	100%	85%	1.4	Interior work completed; site work to begin; awaiting fence & RAP submittal
Lewisburg RC Renovation	100%	100%	98%	4.3	Phone installed; unit moving in; punchlist being worked
Allentown RC Renovation	100%	100%	99%	3.4	Two punchlist items remain
Greensburg RC Renovation	100%	100%	99%	2.4	Occupancy permit received; working punchlist & change order items
Washington RC Renovation	100%	100%	50%	3.0	Beginning Phase II; 5 April inspect Ph I
Huntingdon Water Storage Tank	100%	60%	0%	.5	Pre-bid conducted; bids due 31 March
Johnstown-Walters POV Expansion	100%	40%	0%	0.25	Pre-bid 6 April, Bids due 20 April
Johnstown-Airport MEP Expansion	100%	40%	0%	0.9	Pre-bid 6 April, Bids due 20 April
HMP Storm Water Retention & Outfall	100%	100%	0%	.08	IJC held 25 Feb; work to begin shortly

Dollar amounts prior to construction contract award are
For Official Use Only

12

ARNG PA (-) SRM Projects (2 of 4)

Project	Design Status	Contract Status	Const Status	Amt (\$M)	Remarks
PHL-Lancaster Ave RC Renovation	95%	0%	0%	10.3	Submitting for L&I; late summer bids
New Castle RC Renovation	95%	0%	0%	3.1	Review held 10 Feb; early summer bids
Hershey RC Renovation	98%	0%	0%	1.8	Being cleared for bidding at DGS
Beaver Falls RC Renovation	95%	20%	0%	1.8	NPDES and other land development to be completed
Carbondale RC Renovation	90%	0%	0%	1.8	Construction documents submission date 1 April; review to follow shortly
Pitt-Crane RC Renovation (Ph 3)	95%	0%	0%	1.0	E&S just completed; waiting for L&I bldg permit, possible summer/fall project
Sellersville RC Renovation	25%	0%	0%	1.4	In-house design for '17; CFMO to augment funding
Phoenixville RC Convert old OMS	0%	0%	0%	0.8	Funds used elsewhere; will be delayed to beyond '17
Wilkes-Barre RC (Ph 5 –HVAC)	1%	0%	0%	5.6	In-house design for '17(Pending state capital funds)
Allentown RC (Ph 4 – Civil)	0%	0%	0%	1.2	In-house design for '17

Dollar amounts prior to construction contract award are
For Official Use Only

13

ARNG PA (-) SRM Projects (3 of 4)

Project	Design Status	Contract Status	Const Status	Amt (\$M)	Remarks
Nanticoke RC Renovation	1%	0%	0%	1.2	In-house design for FFY '17 (Pending state capital funds)
Carbondale Doors Repair	100%	100%	10%	0.02	Awaiting materials
Williamstown Roof Replacement	100%	100%	0%	0.15	Awarded; to start next month
Indiana RC Gas Conversion	80%	0%	0%	0.065	In-house design awaiting utility company letter; will be JOC project
Taylor HVAC Upgrade	100%	0%	0%	0.27	In-house design completed; awaiting JOC
Taylor Ban-Air Enclosure	65%	0%	0%	0.2	Completing in-house design
Butler CIF/Turn-In Fencing	100%	0%	0%	0.02	Awaiting JOC
Mt. Pleasant POV/MEP Repair	15%	0%	0%	.18	Design complete target end of April
Mt. Pleasant Roof Repair	100%	0%	0%	.3	Awaiting JOC
Spring City Demo, MEP & Access Rd	100%	20%	0%	9-11	Pre-bid 19 April, Bids due 11 May
New Milford Holding Tanks	TBD	0%	0%	.06	If testing of current tanks shows no I&I, no design and little cost needed

Dollar amounts prior to construction contract award are

14

For Official Use Only

ARNG PA (-) SRM Projects (4 of 4)

Project	Design Status	Contract Status	Const Status	Amt (\$M)	Remarks
Butler Roof Replacement & Exterior	50%	0%	0%	0.96	Adding doors and windows; site visit 4 April
Connellsville FMS Roof Replacement	95%	0%	0%	0.12	Did in-house work to get L&I occupancy; L&I Bldg. permit forthcoming; will be JOC
MI CO SCIF in-Box Washington	100%	100%	90%	0.4	PFO awarded by EOY-project delivery in Feb; Project available accreditation in Aug.
MI CO SCIF in-Box Pads & Utilities Horsham	100%	100%	90%	0.4	Punchlist work
Tactical Server Infrastructure Upgrade-Washington	100%	100%	0%	0.075	Being done as part of Washington RC renovation
Tactical Server Infrastructure Upgrade-Horsham	100%	100%	95%	0.075	Completion date extended
Tobyhanna ARMAG, Storage & Retrofit	5%	0%	0%	.61	Working with units and TAD on concept; TAD engineering to begin shortly
Horsham FSC Conversion	5%	0%	0%	.87	Developing in-house RFP for PFO D-B

Dollar amounts prior to construction contract award are

15

For Official Use Only

PA Air Guard Facility Projects (1 of 2)

111th Attack Wing				
Project	Design Status	Const Status	Amt (\$M)	Remarks
Repair Water/Sewer Infrastructure	100%	12%	5.7	Progressing
Water Filtration	10%	0%	0.9	Potentially increasing to \$3.2M
RPA Ops Center (FOC) Phase A	100%	75%	1.4	Progressing
RPA Ops Center (FOC) Phase B	100%	60%	4.1	Progressing
B310 Renovation, Supply	35%	0%	4.35	Progressing
COS Beddown	65%	0%	6.6	Design Type B1 complete
171st Air Refueling Wing				
Project	Design Status	Const Status	Amt (\$M)	Remarks
Repair Hangar 301/302 Interiors	95%	0%	8.4/ 14.5	95% submittal received 11 Mar 16. NGB/A7 approved and provided authorization to bid.
Alter Hangar 304 for Flight Simulator	100%	10%	3.95	In construction
Repair DFAC	100%	75%	0.57	In construction

Dollar amounts prior to construction contract award are
For Official Use Only

16

PA Air Guard Facility Projects (2 of 2)

193 Special Operations Wing				
Project	Design Status	Const Status	Amt (\$M)	Remarks
Repair Mustang Alley	100%	21%	.76	In Construction
LA-4 Parking Lot	100%	0%	1.0	MCCA In work/Lease pending
ADAL Bldg 67 for O&T	100%	0%	1.3	Bid
Construct BCE Storage	2%	0%	.88	Design/Build – in Design
193 Regional Support Group				
Project	Design Status	Const Status	Amt (\$M)	Remarks
Combined Comm Facility	100%	99%	7.2	Completion Date for the facility was on 1/15/16, site work needs to be completed
Vehicle Maintenance Add/Alter	100%	37%	1.8	In Construction
Area 1 Sanitary Sewer	100%	15%	.58	In Construction
Army Range 5A Renovation	33%	0%	.67	Design/Build - In Design
Air Force Band Facility Upgrade	100%	62%	.36	In Construction

Dollar amounts prior to construction contract award are
For Official Use Only

17

Environmental (1 of 4)

Issues/Events	Status
<p>Issue/Event: Lead Dust from closed Indoor Firing Ranges (IFRs)</p> <p>Background: PAARNG has 35 RCs that have closed IFRs that NGB has set policy concerning the level of lead dust exposure. We are to inspect and clean if necessary the RC to protect both the public and our soldiers that may be exposed to the dust from the historical operation of these indoor ranges.</p> <p>Next Step: Results from preliminary sampling for presence/absence of lead and lead levels are in the attached slides, execute cleaning plan, and resample for lead leads after cleaning.</p>	
<p>Issue/Event: Annual - Internal Environmental Performance Assessment System (EPAS) inspections.</p> <p>Background: Annually the Bureau of Environmental Management conducts EPAS audits on a percentage of PAARNG facilities to identify environmental compliance issues that require correction.</p> <p>Next Step: 40 PAARNG facilities has been identified for EPAS audits in FY 2016. All visits are coordinated IAW FRAGO 002, Order 16-002.</p>	

18

For Official Use Only

Environmental (2 of 4) Indoor Firing Range Lead Facilities Needing Further Work

Facility	Diagnostic Test Results	First Wipe Test Range ug/ft ²	First Wipe Test Number of Samples >40 ug/ft ²	First Wipe Test >40 ug/ft ² Location	Next Step	Scheduled Clean Date	Scheduled Paint Date	IFR Current Use
Allentown (2 Ranges)	Passed	<10-870ug/ft ²	7	IFR Only	Clean/Wipe Test			Locker Rm/Storage
Beaver Falls	Passed	<10-110ug/ft ²	1	IFR Only	Clean/Wipe Test			MTOE Storage
Greensburg	Passed	<10-240ug/ft ²	4	IFR Only	Clean/Wipe Test		N/A	Storage
Grove City	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Locker Rm/Storage
Hamburg	Passed	<10-68ug/ft ²	2	F, BR/DLC CLS	Clean/Wipe Test		N/A	Empty
Harrisburg	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Empty
Hermitage	Passed	<10-91ug/ft ²	3	Drill Hall/Latr.	Clean/Wipe Test		N/A	Locker Rm/Storage
Johnstown Walters Ave	Passed	<10-190ug/ft ²	1	IFR Only	Clean/Wipe Test		N/A	MTOE Stor/Gym
Kane	Passed	<10-86ug/ft ²	4	Drill Hall/Latr.	Clean/Wipe Test		N/A	Basement Hallway
Kutztown	Passed	<10-61ug/ft ²	1	IFR Only	Clean/Wipe Test		N/A	Locker Room
Lehighton	Passed	<10-290ug/ft ²	4	IFR/Latr.	Clean/Wipe Test		N/A	Storage/Gym
Lewistown	Passed	<10-810ug/ft ²	3	IFR Only	Clean/Wipe Test		N/A	Storage/Latrine
Lock Haven	Passed	<10-160ug/ft ²	5	IFR Only	Clean/Wipe Test		N/A	Storage
Nanticoke	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Locker Room
Philadelphia 23rd Street	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Unit Supply Rm
Philadelphia Southampton	Passed	<10-260ug/ft ²	5	IFR Only	Clean/Wipe Test		N/A	Locker Room
Philadelphia Lancaster	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Empty
Phoenixville	Passed	<10-170ug/ft ²	4	IFR Only	Clean/Wipe Test		N/A	Locker Room
Pittsburgh Crane	Passed	<10-84ug/ft ²	1	IFR Only	Clean/Wipe Test		N/A	Locker Room
Plymouth	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Locker Room
West Pittston	Failed	Failed Diagnostic	Failed Diagnostic	Failed Diagnostic	Clean/Paint/Wipe Test			Locker Room

19

Environmental (3 of 4)

Indoor Firing Range Lead Facilities Pending Wipe Test Results

Facility	Diagnostic Test Results	First Wipe Test Range ug/ft ²	First Wipe Test Number of Samples >40 ug/ft ²	First Wipe Test >40 ug/ft ² Location	Next Step	Scheduled Clean Date	Scheduled Paint Date	IFR Current Use
Chambersburg	Passed	Pending	Pending	Pending	Pending	Pending	Pending	Locker Rm/Storage
Hanover	Passed	Pending	Pending	Pending	Pending	Pending	Pending	Storage
Hershey	Passed	Pending	Pending	Pending	Pending	Pending	Pending	Locker Room

20

Environmental (4 of 4)

IFR Lead Facilities - testing is complete and results are within acceptable limits set by NGB.

Facility	Diagnostic Test Results	First Wipe Test Range ug/ft ²	First Wipe Test Number of Samples >40 ug/ft ²	First Wipe Test >40 ug/ft ² Location	Next Step	Scheduled Clean Date	Scheduled Paint Date	IFR Current Use
Butler	Passed	<10-24ug/ft ²	0	N/A	Complete	N/A	N/A	Vault/MTOE Stor
Carbondale	Passed	<10-25ug/ft ²	0	N/A	Complete	N/A	N/A	Locker Room
Clearfield	Passed	<10-30ug/ft ²	0	N/A	Complete	N/A	N/A	Locker/Shower Rm
Coroapolis	Failed	IFR Closed and Locked	N/A	N/A	IFR Closed and Locked	N/A	N/A	Empty/Locked
Honesdale	Passed	<10 ug/ft ²	0	N/A	Complete	N/A	N/A	Kitchen
Lewisburg	Passed	<10-25ug/ft ²	0	N/A	Complete	N/A	N/A	Empty
New Castle	Passed	<10-13ug/ft ²	0	N/A	Complete	N/A	N/A	Drill Hall
Pittsburgh Hunt	To Be Sold	To Be Sold	To Be Sold	To Be Sold	To Be Sold	N/A	N/A	To Be Sold
Punxutawney	Passed	<10-32ug/ft ²	0	N/A	Complete	N/A	N/A	Gym
Sellersville	Passed	<10-35ug/ft ²	0	N/A	Complete	N/A	N/A	Offices
Sunbury	To Be Sold	To Be Sold	To Be Sold	To Be Sold	To Be Sold	N/A	N/A	To Be Sold
Tamaqua	Passed	<10-25ug/ft ²	0	N/A	Complete	N/A	N/A	Locker Room
Williamstown	Passed	<10-29ug/ft ²	0	N/A	Complete	N/A	N/A	Office/Gym
York North George	To Be Sold	To Be Sold	To Be Sold	To Be Sold	To Be Sold	N/A	N/A	To Be Sold

21

Key Real Estate Actions (1 of 2)

Issues/Events	Status
<p>Issue/Event: FTIG Firing Range (EPR)</p> <p>Update: Surveys and legal descriptions are complete. Both DMVA and DGS preliminary appraisals are now complete.</p> <p>Next Step: DGS legal review and purchase offers made to affected properties by acquisition consultant.</p>	
<p>Issue/Event: Plains Township Readiness Center</p> <p>Update: FEMA form sent Congressmen Matt Cartwright requesting transfer to DMVA. Preparing Real Estate Action Plan in preparation for TAA approval.</p> <p>Next Step: Process Real Estate Action Plan to NGB-ILI pending approved TAA for C/109th FA.</p>	

22

For Official Use Only

Key Real Estate Actions (2 of 2)

Issues/Events	Status
<p>Issue/Event: Brownsville-Hiller and Gettysburg Readiness Centers</p> <p>Update: Real Estate Action Plan sent to USARC/ARMID on 9 November 2015 to process reassignment package. Energy information requested for Hiller to final processing.</p> <p>Next Step: USACE to transfer property to PAARNG.</p>	
<p>Issue/Event: FTIG Solar Farm Project</p> <p>Update: Supplemental agreement to the FTIG land lease received from USACE.</p> <p>Next Step: Commonwealth lease with the successful vendor</p>	

23

For Official Use Only

Planning and Programming

Issues/Events	Status
<p>Issue/Event: Readiness Center Transformation Master Plan (RCTMP)</p> <p>Discussion: IL TAG, MG Hays engaging IL Senator Kirk, Chairman of the Senate MILCON Appropriations Committee to generate support for the RCTMP</p> <p>Next Step: Congressional Hearing</p>	
<p>Issue/Event: Master Planning</p> <p>Discussion: Efforts continue on project documentation prep for submissions to the 2016 FY17-23 Installations Requirements Plan/Long Range Construction Plan (IRP/LRCP).</p> <p>Next Step: Waypoints: LRCP Soft Lock is 150700APR2016; PAARNG in-person Annual Review at NGB is scheduled for 23MAY2016; Hard Lock is projected to be on or about 11JUL2016.</p>	

24


For Official Use Only

Energy Cost & Use Reduction

Issues/Events	Status
<p>Issue/Event: PJM – Demand Response Program</p> <p>Background: Program that utilizes generators to save energy during peak usage and reduce the load on the grid. The 2015 Program generated \$388,104.20 of revenue which will be allocated to offset utility costs.</p> <p>Next Step:</p> <ul style="list-style-type: none"> • The 2016 Program period will run from 01-JUN to 30-SEP. • DMVA is currently reviewing facilities with new generators with PSFEI for participation in PJM. • Exemption granted for 2-HR response time in lieu of 30 minutes. 	
<p>Issue/Event: Act 129 Rebate Program</p> <p>Background: A program set in place by electrical utility companies to meet the goals of 'Act 129' in regard to curtailing energy demand.</p> <p>Next Step:</p> <ul style="list-style-type: none"> • Received rebate checks in the amount of \$35,776.64 for the installation of LED fixtures in BLDG 12-140, and \$22,738.00 in BLDG 10-102. • LED upgrades are planned @ 26 facilities for PA- during FY'16 which have a total rebate potential of \$30K. • T12 replacement project for FTIG has a rebate potential of \$35K. 	

25

Comments



26

SAB New Business

1. New Business:
 - a) Disposal of Armories/Property not required per TAA / MTOE changes (East Stroudsburg RC, East Stroudsburg WET, West Pittston RC, Kane RC, and Kane WET/MEP- see Exhibits B, B1, B2, B3, B4)
 - b) Review State Treasury Armory Fund distribution - see Exhibit C.
 - c) Review revisions to the Armory Rental SOP & Agreement.
 - d) Consider 5% increase to Armory Rental rates.

27

STAF Distribution Formula

- Total Receipts from May 2013 to December 2015 = \$379,888.76
- All Armories (RC) receive 25% of total ($25\% \times 379,888.76 / 73 \text{ RC} = \$1,092.08$)
- Balance of Receipts (75%), 30% of receipts from Armory that Rented, 45% to STAF.
- See Exhibit C for updated Individual Armory distribution of STAF.
- In the future, distribution will be made twice a year -June 30 & Dec 31st - based on the amount of rental receipts for the six months prior. Distribution report will be presented at the following quarterly SAB meeting.

28

Proposed revisions to the Armory Rental - SOP & Agreement.

Add- paragraph 5 to Agreement. 5. The RENTER acknowledges that security measures will be increased during periods of increased Force Protection levels. Visitors to the facility may be required to show photo identification to gain access to the facility or comply with other security measures as determined by the military occupants and made necessary by the current Force Protection level then in effect.

Modify- paragraph 6 to SOP. 6. Rental rates will be adjusted every two years ~~based upon increases or decreases in the Consumer Price Index~~ based upon the OFEs' best judgment and with the SAB approval.

29

Washington RC Hanger Exterior Wall before & after.



30

Washington Hanger Interior before & after



31

Washington RC new Multi-Purpose Training Room



32

SAB Quarterly Meeting

1. Review STAF Balance – Exh. D1, Commitment report – Exh. D2.
2. Next meeting 14 July 2016, 1100 Hartranft Conference Room.
3. Questions?
4. Adjourn Meeting.

33